C.F. 71 & 72.

1932

Department of L R & Sett

OFFICE Board of Revenue

STATION Madras.

P.W.S. No. 2264

Dated 29-7-1932

H. 3904/3

To whom sent	Date	Initial
	Given for copying	
	Copied	
	Examined	
	Signed	
	Given for despatch	
	Despatched	
	Indexed	
Pages in the file	To be destroyed on*	

(SUBJECT.)

Irrigation — (Bore
boring operations) taluk — Anikkere
project — dropped — G.O.
recorded.

* Not to be filled in in the case of permanent records.

Sectt. II-15 (b)—20,000—27-11-31.

Received 27 JUL 1932 SECTT.

Registered SECY. 27 JUL 1932

Abstract.

Projects - Bellary district - Harpanahalli taluk - Arisikeri tank project - Dropped.

Public Works & Labour DEPARTMENT.

G.O. No. PW. 1552-I., dated 25th July 1932.

READ the following paper:—

ENCLOSURES.

No. 2872 / 41231

G.O.No.2645 I., dated 30th November 1927.
" " 2727 I., " 29th October 1931.
From the Irrigation Development Board No.21 dated 8th June 1932.

ORDER:

The Chief Engineer has submitted his report on the results of the investigation of the possibilities of augmenting the supply to and increasing the capacity and ayacut of the Arisikeri tank in Harpanahalli taluk, Bellary district. Two rough proposals for an anicut across the Chikka Hagari river and a supply channel to the tank have been examined. The one which places the anicut at the site finally selected by the Chief Engineer is roughly estimated to cost Rs. 4 lakhs and to yield a return of 1.25 per cent on the outlay on the basis of a possible additional irrigable area of 580 acres and a net assessment of Rs. 10 an acre. The heavy cost is due to the nature of the soil in the tract through which the canal is aligned, the unfavourable levels and the necessity for deep cuttings. At

the water of the tank will be reported back into the channel. The Aridikoro village with its 500 houses which is already 4 feet below the T.T.L. of the tank will after the scheme is carried out have to be removed to high ground. The tank does not require augmentation of supply for its present ayacut as there have been no remissions under it even in bad years, and it is reported that the ryots do not want the scheme. The Government therefore agree with the Chief Engineer and the Irrigation Development Board that the further investigation of the scheme may be abandoned.

(By Order of the Governor in Council)

N.Gopalaswami

Secretary to Government.

To the Irrigation Development Board

" Chief Engineer for Irrigation(in triplicate)

" Board of Revenue.

" Collector of Bellary.

" Revenue Department.

f o r w a r d e d

(By Order)

Secretary to

S.M.S.

5

Subject.

R. F. XXII-A-19—30,004—2-2-31 (6)

FOR MEMBER. Irrigation Bellary) — Harpanahalli Taluk Project — Dropped. G.o. recorded.

Read again B. P. No. _____, dated _____ 193

" " " _____, " _____ 193

Read also :—

Register No. _____, From the H" 3904/32 — B No. _____, dated _____ 193

" " _____, " " _____ 193

" " _____, " " _____, " _____, " _____ 193

RESOLUTION. Mis No. 2264, dated 29.7. 1932

Recorded

29/7/32

nkd

29/7/32

29/7/32